

# SAFETY DATA SHEET

Issue Date 07-Aug-2015

CP 600

Revision Date 07-Aug-2015

Version 1

CP White 600

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	CP White 600
<u>Other means of identification</u> Product Code Synonyms	CP 600 CP 600
Recommended use of the chemica	l and restrictions on use
Recommended Use	Coloring agent for Concrete.
Uses advised against	No information available
Details of the supplier of the safety Supplier Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702	<u>data sheet</u> <u>Manufacturer Address</u> Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702
Company Phone Number 24 Hour Emergency Phone Numbe	800-624-0261 (US & Canada); 217-522-3112 (Outside North America) r 800-373-7542
	2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

#### Label elements

Emergency Overview			
<b>Hazard statements</b> May be harmful if inhaled			
Appearance White Powder	Physical state Powder	Odor Odorless	
Precautionary Statements - Preventio	n		

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing May cause eye irritation. May cause: tearing, redness, discomfort.

If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in accordance with local regulations Store in a well-ventilated place. Keep container tightly closed

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Synonyms

CP 600.

Chemical Name	CAS No.	Weight-%	Trade Secret
Titanium Dioxide	13463-67-7	80-100	*
Synthetic Amorphous Silica	7631-86-9	5-20	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
Description of first aid measures				
General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).			
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. (Get medical attention immediately if irritation persists.).			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.			
Ingestion	Clean mouth with water. Remove from exposure, lie down. Do not induce vomiting without medical advice. Consult a physician if necessary.			
Most important symptoms and effe	Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Avoid creating dust. Evacuate personnel to safe areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containment and cleaning up			
Methods for containment	Vacuum or sweep up material and place in a designated labeled waste container. Prevent further leakage or spillage if safe to do so. Prevent dust cloud.		
Methods for cleaning up	With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
7. HANDLING AND STORAGE			

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Incompatible materials Strong oxidizing agents. Strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Titanium Dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>		
13463-67-7	(vacated) TWA: 10 mg/m <sup>3</sup> total dust		-		
Synthetic Amorphous Silica	-	TWA: 20 mppcf	IDLH: 3000 mg/m <sup>3</sup>		
7631-86-9		: (80)/(% SiO2) mg/m <sup>3</sup> TWA	TWA: 6 mg/m <sup>3</sup>		
IIOSH IDLH Immediately Dangerou	is to Life or Health				
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).				
ppropriate engineering controls					
ngineering Controls	eering Controls Showers				
	Eyewash stations				
	Ventilation systems.				
ndividual protection measures, su	uch as personal protective	equipment			
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).				
Skin and body protection	Wear protective gloves and protective clothing. Protective shoes or boots.				
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.				
eneral Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.				

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Color	Powder White Powder White	Odor Odor threshold	Odorless Not applicable
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	Values3.0-8.0>1000°C (1832°F)No information availableNo information available	<u>Remarks • Method</u>	

Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

<u>Chemical stability</u> Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous polymerization

None under normal processing.

<u>Conditions to avoid</u> Extremes of temperature and direct sunlight.

#### Incompatible materials

Strong oxidizing agents. Strong acids.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

May be harmful by inhalation
May cause irritation of respiratory tract.
May cause mechanical irritation (abrasion).
May cause mechanical irritation (abrasion).
No known effect based on information supplied.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Synthetic Amorphous Silica 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h

# Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
<b>u</b>	
Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. In 2006, the International Agency for Research on Cancer (IARC) evaluated TiO2 as "possibly carcinogenic to humans" (Group 2B) based primarily on studies in rats. Inhalation exposures to TiO2 in rats can result in lung effects and lung tumors. However, it is generally recognized that the rat is uniquely sensitive to the effects of "lung overload" which is not observed in other species including humans (Ref. 6). These facts are supported by the results from four large epidemiology studies involving more than 20,000 workers in the titanium dioxide manufacturing industry in North America and Europe which indicate no association with an increased risk of cancer or with any other adverse lung effects (Ref. 1,2,3,4,5,7).These studies did not specifically differentiate between the ultrafine and pigmentary TiO2. References: 1. Boffetta P, Gaborieau V, Nadon L, Parent M-E, Weiderpass E, Siemiatycki J. (2001). Exposure to titanium dioxide and risk of lung cancer in a population-based study from Montreal. Scand. J. Work Environ. Health 27:227-232. 2. Boffetta P., Soutar A., Cherrie J., Granath F., Andersen A., Anttila A., Blettner M., Gaborieau V., Klug S., Langard S., Luce D., Merletti F., Miller B., Mirabelli D., Pukkala E., Adami H-O., and Weiderpass E. (2004). Mortality among workers employed in the titanium dioxide industry in Europe. Cancer Causes and Control 15(7):697-706. 3. Chen J, and Fayerweather W. (1988). Epidemiologic study of workers exposed to titanium dioxide. J. Occup.Med. 30(12):937-42. 4. Fryzek J, Chadda B, Marano D, White K, Schweitzer S,
	McLaughlin J, and Blot W. (2003). A cohort mortality study among titanium dioxide
	manufacturing workers in the United States. J. Occup. Environ. Med. 45(4): 400-09. 5.
	Garabrant D.H., Fine L.J., Oliver C., Bernstein L., and Peters J.M. (1987). Abnormalities oof
	pulmonary function and pleural disease among titanium metal production workers. Scand. J. Work Environ. Health 13(1):47-51. 6. Levy L. S. (1994). Squamous Lung Lesions
	Associated with Chronic Exposure by Inhalation of Rats to p-Aramid Fibrils (Fine Fiber
	Dust) and to Titanium Dioxide: Findings of a Pathology Workshop. In: Mohr, U (Ed), Toxic
	and carcinogenic effects of solid particles in the respiratory tract, ILSI Press, 473-478. 7.
	Ramanakumar AV, Parent ME, Latreille B, Siemiatycki J. (2008). Risk of lung cancer
	following exposure to carbon black, titanium dioxide and talc: results from two case-control
	studies in Montreal. Int J Cancer 122:183-9.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	-	Group 2B	-	Х
Synthetic Amorphous Silica 7631-86-9	-	Group 3	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present No information available. **Reproductive toxicity** STOT - single exposure No information available. STOT - repeated exposure No information available. Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. Target Organ Effects blood, Central nervous system, Eyes, kidney, lungs, Respiratory system, Skin. Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	9100 mg/kg
ATEmix (dermal)	20020 mg/kg
ATEmix (inhalation-dust/mist)	5.5 mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Synthetic Amorphous Silica	440: 72 h Pseudokirchneriella	5000: 96 h Brachydanio rerio mg/L	7600: 48 h Ceriodaphnia dubia
7631-86-9	subcapitata mg/L EC50	LC50 static	mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects

No known significant effects or critical hazards.

# **13. DISPOSAL CONSIDERATIONS**

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Disposal should be in accordance with applicable regional, national and local laws

#### Waste treatment methods

Disposal of wastes

**Contaminated packaging** 

Do not reuse container.

and regulations.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemical Substances Australian Inventory of Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Titanium Dioxide - 13463-67-7	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium Dioxide 13463-67-7	Х	X	Х
Synthetic Amorphous Silica 7631-86-9	Х	X	Х

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Reactivity 0

Flammability 0

Physical hazards 0

Physical and Chemical <u>HMIS</u> Properties -Personal protection X Health hazards 1

Issue Date07-Aug-2015Revision Date07-Aug-2015Revision Note07-Aug-2015No information available100 mode

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet